



BUREAU
VERITAS

Bureau Veritas Certification

CONFORMITY CERTIFICATE OF FACTORY PRODUCTION CONTROL

Certificate N°: 1035-CPR-ES051337

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonized conditions for the marketing of construction products, it has been stated that the product:

ALUMINIUM AND ALUMINIUM ALLOYS

Manufactured by:

**INDUSTRIAS ARAGONESAS DEL
ALUMINIO, S.A.**

In the factory:

1. CTRA. COGULLADA, 31. 50014, ZARAGOZA, ESPAÑA.
2. CAMINO DE LA LOBERA, S/N. 50173 NUEZ DE EBRO,
ZARAGOZA, ESPAÑA.

They are submitted by the manufacturer to the initial type testing of the product and a factory production control, and that the notified body Bureau Veritas Certification has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the harmonized standard concerned.

This certificate attests that all provisions concerning the attestation of factory production control described in the Annex ZA of the harmonized standard concerned, and it authorizes the manufacturer or its agent to fix the CE marking.

This certificate remains valid as long as the conditions laid down in the harmonised standard concerned or the manufacturing conditions in the factory or the FPC itself are not modified significantly

Initial date of issue: 2011 / 07 / 18
Date of update: 2023 / 06 / 29
Expiration date: 2026 / 07 / 17



Mónica Botas
Certification manager





BUREAU
VERITAS

Bureau Veritas Certification

ANNEX OF CERTIFICATE N° 1035-CPR-ES 051337

Date: 2020 / 05 / 20

EN 15088:2005. Aluminium and aluminium alloys. Structural products for construction works. Technical conditions for inspection and delivery.				
Descripción: EXTRUDED PROFILE				
ALLOY	TREATMENT	PROFILE DIMENSIONS	LENGTH	THICKNESS
AW6060	T5 - T6 - T66	Profiles enrolled in a circle of diameter from 7mm up to 310 mm.	Products up to 15 m	From 0,8 to 40 mm.
AW6063	T4 - T5 - T6-T66			
AW6106	T6			
AW6082	T4 - T5 - T6			
AW6106	T6			

EN 15088:2005. Aluminium and aluminium alloys. Structural products for construction works. Technical conditions for inspection and delivery				
Descripción: EXTRUDED TUBE				
ALLOY	TREATMENT	DIAMETERS TUBES	LENGTH	THICKNESS
AW6060	T5 - T6 - T66	From 7 to 250 mm..	Products up to 15 m.	From 0,8 to 40 mm..
AW6063	T4 - T5 - T6-T66			
AW6106	T6			
AW6082	T4 - T5 - T6			
AW6106	T6			



Mónica Botas
Certification manager





BUREAU
VERITAS

Bureau Veritas Certification

ANNEX OF CERTIFICATE N° 1035-CPR-ES 051337

Date: 2020 / 05/ 20

EN 15088:2005. . Aluminium and aluminium alloys. Structural products for construction works. Technical conditions for inspection and delivery				
Descripción: EXTRUDED BAR				
ALLOY	TREATMENT	DIAMETERS BAR	LENGTH	THICKNESS
AW6060	T5 - T6 - T66	From 7 to 80 mm-.	Products up to 15 m.	From 0,8 to 40 mm.
AW6063	T4 - T5 - T6-T66			
AW6106	T6			
AW6082	T4 - T5 - T6			
AW6005	T6			



Mónica Botas
Certification manager

